livingstone baths

PLUMBING GUIDELINES



LIVINGSTONE BATHS

BATH RANGE

LIVINGSTONE BATHS

Amelia Bath



Base Type A
L 1490 x W 755 x H 505 mm
Base 890 x 450 mm

Frances Bath



Base Type A
L 1500 x W 755 x H 530 mm
Base 1100 x 570 mm

Sienna Bath



Base Type A
L 1600 x W 805 x H 610 mm
Base 755 x 350 mm

Chloe Bath



Base Type B
L 1590 x W 735 x H 510 mm
Base 780 x 410 mm

Taylor Bath



Base Type B
L 1625 x W 775 x H 530 mm
Base 1090 x 530 mm

Marilyn Bath



Base Type A
L 1720 x W 765 x H 495 mm
Base 1190 x 530 mm

Dakota Bath



Base Type A
L 1725 x W 800 x H 610 mm
Base 855 x 350 mm

Zara Bath



Base Type A
L 1665 x W 840 x H 525 mm
Base 870 x 630 mm

Isola Bath




Base Type A
L 1780 x W 1000 x H 560 mm
Base 900 x 320 mm

Lusso Bath




Base Type A
L 1887 x W 1110 x H 535 mm
Base 1065 x 450 mm


BATH BASES



Base Type A
100mm Cavity – No Chopping Required




Base Type B
80mm Cavity – No Chopping Required



Integrated Overflow (Alana Bath Only)
100mm Cavity – No Chopping Required


OPTION 1

SENZO TRAP



SENZO TRAP


- ✓ Senzo Trap 30931009
- ✓ Waste BTW201L and BTW 201
- ✓ FPST Universal Slinky (Optional)



LIVINGSTONE BATHS


OPTION 2

GIO TRAP




GIO TRAP

- ✓ Gio Trap A1015 Spare
- ✓ Waste BTW201L and BTW 201
- ✓ FPST Universal Slinky




LIVINGSTONE BATHS

INSTALLATION




STEP 1

Mark out where plug and bath placement must be.




STEP 2

Once the waste has been inserted, place bath into position.



STEP 3

Connect P-trap to the waste



STEP 4

Once correctly connected, silicon the base of the bath to the tiles.

LIVINGSTONE BATHS



Livingstone Baths warrant their baths against any failure
in terms of product integrity and undertake to repair or replace any defective product
for a period of 25 years from the date of purchase,
subject to the original invoice being produced.